

Technology Solutions for a Smarter Future!



Consistent®



PRODUCT CATALOGUE 2026

www.consistent.in

Follow us on:

Growth is the only option and change is the only constant in our rapidly changing world where things are moving towards the future with tremendous technological advancement. Consistent Infosystems Private Limited started its glorious journey in 2011 in the capital city of India, New Delhi. Founded by the visionary leaders Mr. Nitin Bansal and Mr. Yogesh Agrawal with a commitment at delivering value to its customers, vendors and employees, Consistent Infosystems Private Limited has become one of the fastest growing IT organization with products catering to IT, Electronics & Home Entertainment industry.

Riding on its innovative approach for over a decade, Consistent has grown successfully and has increased its footprint across all major states in India with **24+** branches, team of **300+** employees, **400+** products in its portfolio and more than **3500+** channel partners.

Leadership and vision clubbed with teamwork and technological advancement in the products has made Consistent a promising brand offering technologically superior products and world class technical support.

Consistent has **78+** service centres across the country ensuring that customers have easy after sales support.

Quality and service are the key parameters on which Consistent has laid its foundation and remain to be of paramount importance in everything they do to provide customer satisfaction.

Consistent has been investing its resources to ensure a future that is '**'Smarter, Better and Best for Mankind'**'.

Certifications



24+

Branches

78+

Service Centers

3500+

Channel Partners

450+

Products

5Cr+

Happy Customers



IT HARDWARE & SOFTWARE





 A physical NVME 4th GEN. SSD and its retail packaging box, which is blue with a white 'Consistent' logo and 'NVME 2230 1TB' text.	 A physical M.2 NVME 2230 SSD and its retail packaging box, which is blue with a white 'Consistent' logo and 'NVME 2230 1TB' text.	 Two physical NVME / M.2 SATA SSDs and their retail packaging boxes, which are blue with a white 'Consistent' logo and 'NVME / M.2 SATA' text.	 A physical SSD 2.5" and its retail packaging box, which is blue with a white 'Consistent' logo and 'SSD 2.5" 128GB' text.	 A physical EXTERNAL HDD 2.5" and its retail packaging box, which is black with a white 'Consistent' logo and 'EXTERNAL HDD 2.5"' text.
 A physical FLASH DRIVES and its retail packaging box, which is blue with a white 'Consistent' logo and 'FLASH DRIVES' text.	 A physical MEMORY CARD and its retail packaging box, which is blue with a white 'Consistent' logo and 'microSD 128GB' text.	 A physical DESKTOP RAM and its retail packaging box, which is blue with a white 'Consistent' logo and 'DESKTOP RAM' text.	 A physical LAPTOP RAM and its retail packaging box, which is blue with a white 'Consistent' logo and 'LAPTOP RAM' text.	 A physical MONITOR and its retail packaging box, which is blue with a white 'Consistent' logo and 'MONITOR' text.
 A physical MOTHERBOARD and its retail packaging box, which is blue with a white 'Consistent' logo and 'MOTHERBOARD' text.	 A physical GRAPHIC CARD and its retail packaging box, which is blue with a white 'Consistent' logo and 'GRAPHIC CARD' text.	 A physical CPU COOLER/SMPS and its retail packaging box, which is blue with a white 'Consistent' logo and 'CPU COOLER/SMPS' text.	 A physical NOTE COUNTING MACHINE and its retail packaging box, which is blue with a white 'Consistent' logo and 'NOTE COUNTING MACHINE' text.	 A physical COMPUTER CABINET and its retail packaging box, which is blue with a white 'Consistent' logo and 'COMPUTER CABINET' text.

NVME 4TH GENERATION

Specifications

MODEL : NVMe 4TH Gen.



**3D
NAND**

**M.2PICe
Gen3 X4**

**LDPC
ADVANCED**

Capacity	Read/Write Speed
512GB	5000
1 TB	7000
2 TB	7300



NVME 2230

Specifications

MODEL : NVMe 2230

**3D
NAND**

**M.2PICe
Gen3 X4**

**LDPC
ADVANCED**

Capacity	Read/Write Speed
256GB	3200 / 1500
512GB	3200 / 2900
1 TB	3300 / 3000



NVMe

Specifications

MODEL : NVMe



**3D
NAND**

**M.2PCIe
Gen3 X4**

**LDPC
ADVANCED**

Capacity Available

**2
TB**

**1
TB**

**512
GB**

**256
GB**

**128
GB**



M.2 SATA

Typical Application



Proxy
Server



Desktop
Laptop



Specifications

MODEL : M.2 SATA

3D
NAND

M.2PCIe
Gen3 X4

LDPC
ADVANCED

Capacity Available

1
TB

512
GB

256
GB

128
GB



SSD (Solid State Drive)

Specifications

MODEL : SSD



DURABLE



HIGH
PERFORMANCE



POWER
SAVING



SILENT

Capacity Available

2
TB

1
TB

512
GB

256
GB

128
GB



SSD ENCLOSURE



TOOL FREE



PLUG & PLAY



HIGH PERFORMANCE



NVME SSD ENCLOSURE 3.1



TOOL FREE



PLUG & PLAY



HIGH PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 3.0



TOOL FREE



PLUG & PLAY



HIGH PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 2.0



TOOL FREE



PLUG & PLAY



HIGH PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 3.0

PEN DRIVE



Capacity Available

USB 2.0



Metal Shell

Capacity Available

USB 2.0



Integrated Keychain Loop

Capacity Available

USB 3.0



Small Size

Capacity Available

USB 3.2



Integrated Keychain Loop

PEN DRIVE

Specifications



DURABLE



HIGH
PERFORMANCE



USB 2.0



USB 3.0

Metal Using



Capacity Available

USB 2.0



USB 3.0





Capacity Available



Capacity Available



Compatible with



RAM

Specifications



FAST



VOLATILE



MODEL : RAM




MODEL:

- CRAM 2GB DDR3- 16/8 Chip(1333/1600)
- CRAM 4GB DDR3- 16/8 Chip(1333/1600)
- CRAM 8GB DDR3(1333/1600)
- CRAM 4GB DDR4(2133/2400/2666/3200)
- CRAM 8GB DDR4 (2133/2400/2666/3200)
- CRAM 16GB DDR4 (2400/2666/3200)
- CRAM 32GB DDR4 (2400/2666/3200)

MODEL:

- LAPTOP CRAM 2GB DDR3(1333/1600)
- LAPTOP CRAM 4GB DDR3(1333/1600)
- LAPTOP CRAM 8GB DDR3(1333/1600)
- LAPTOP CRAM 4GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 8GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 16GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 32GB DDR4 (2400/2666/3200)



RAM

Specifications

 Support Intel & AMD Motherboard

 High Endurance

 Durable

 Build For Gaming

Capacity Available

DDR4

8GB, 16GB, 32GB

2666MHz, 3200MHz


DDR5

8GB, 16GB, 32GB

4800MHz, 5600MHz



Yeti



MADE IN
Bharat



LED MONITOR


**27 INCH WIDE
FRAMELESS**

Model No. : CTM2700


**32 INCH WIDE
FRAMELESS**

Model No. : CTM3200


**24 INCH WIDE
FRAMELESS**

Model No. : CTM2400


 1920x1080
Resolution

 16.7M Color
Display

 250cd/m²
Brightness

 1000:1
Contrast Ratio

 2x2W Built-in
Speaker

 LED
Back Light

 1920 x 1080
Resolution

 16.7M Color
Display

 1000:1
Contrast Ratio

 12V=4A
Power Supply

 Windows
10


FHD



Ultra Slim


 250cd/m²
Brightness

 LED
Back Light

 80.01 CM
Curved Panel


Low Power


 2x2 Watt
Speaker

 Comfort
For Eye

MONITOR

Specifications



Hair Line Texture



Model No : 1804
 Screen Size : 17" (43.4 cm)
 Connectivity : HDMI
 From Factor : SQUARE
 Warranty : 1 YEAR



MONITOR



Model No : 2001
 Screen Size : 19" (48.26cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



Model No : 2105
 Screen Size : 22" (55.8cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



Model No : 1902
 Screen Size : 18.5" (47cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



Model No : 2200 WHITE/BLACK
 Screen Size : 23.8" (60.5cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 3 YEAR
 Color : White / Black




Model No : 2400 WHITE/BLACK
 Screen Size : 23.8" (60.5cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 INBUILT : SPEAKER
 Warranty : 3 YEAR
 Color : White / Black





MOTHERBOARD





MOTHERBOARD

Specifications



NVMe M.2


 RJ 45
1000 Mbps


6x USB 2.0



4x Sata Port



H-610 Standard/
NVMe

- 12th Generation i3, i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-110 Standard/
NVMe

- 6th, 7th, 8th & 9th Generation i3, i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0

MOTHERBOARD



H-510 Standard/
NVMe

- 10th & 11th Generation i3, i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-310 Standard/
NVMe

- 8th & 9th Generation i3, i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-310C

- 6th, 7th, 8th & 9th Generation i3, i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-81 (NVMe)

- 4th Generation i3, i5, i7
- DDR 3
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-61 (NVMe)

- 2nd & 3rd Generation i3, i5, i7
- DDR 3
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0

GRAPHIC CARD

Specifications

GRAPHIC CARD



Model No.	CTG2101GD3	CTGT6102GD3	CTGT7304GD3
Model Name	G 210	GT610	GT730
DDR	DDR3	DDR3	DDR3
Capacity	1GB	2GB	4GB
Bit	64 BIT	64 BIT	128 BIT



CPU COOLER



913



916

SMPS

Stable Power
OutputEnergy
EfficientCPU 4P+4P
= 400mm220V 50Hz 8A
AC INPUT



GAMING & COMPUTER CABINET

COMPUTER CABINET (With SMPS)



Support MB



HDD X 2

Optional Fans Support
2x12cm/1x8cmSupporting Slot
SSD x 2Audio / Mic
JackHeavy Steel
Metal Body

2 x USB



CIE101



CIE102



CIE103



CIE104



CIE105



CIE106



CIE107



CIE108



CIE109



CIE110



CIP501(Black)



CIP501(White)

GAMING CABINET

**Neon****Inferno****nexus****THUNDER****Vector****BLACK SNIPER****WHITE
SNIPER****LEGENDOR
BLACK****LEGENDOR
WHITE****VENUS****SPECTRUM****LUNAR**

GAMING CABINET



AURALIGHT

DESTROYER
BLACKDESTROYER
WHITE

DEFENDER



COSMOS

ENTRY LEVEL GAMING CABINET(1000 SERIES)



SHAKTI



RYNOX



ZARN



YODHA



VORN



VAJRA



THORN



TANDHAV



KEYBOARDS & MOUSE



KEYBOARD & MOUSE

— Wireless Combo

Cordless Lifestyle Experience



Model :
CMW402 GLORY

1000
DPI

2.4 GHz Wireless
10m / 33ft

10
meter
Connection Distance

Wireless Mouse



Model :
MOW452 DEZIRE



Model :
MG1151 FUSION



Model :
CMW401 VOICE



Model :
MOW451 SPEEDOO

— Wired

Amazing Typing & Gaming Experience

Gaming with RGB



Model :
KG1101 RADIUM



Model :
SK101 CLASSIC SILVER



Model :
SK102 CLASSIC GOLD

GAMING KEYBOARDS



CTGC1150
Black Panther



CTGC1151
Avenger



CTGK1110
Waves



CTGW1130
Storm



CTGK1112
Paradox



CTGK1113
Moonlite



Keystrokes



Plug & Play



Soft Keys



Copper
Wired



USB
Interface



Stylish
Slim Design



Superior
Quality



Comfortable
Usage



LED
Indicator



1.2M
Cable Length

Mouse



CTMOB501
ASTRA

Color : White Black



CTGM1153
ECLIPSE

Color : White Black



CTGM1154
METEOR

Color : White Black



CTMOB502
ORBIT

Color : White Black



12800 DPI



Support Windows/
MAC



Adjustable DPI



Forward/backward
shortcut keys



Design for
gamer



1.5m
Type-C

Detachable Cable

Support

Windows

iOS

Wired & Wireless Mouse



CTMO202
NOVEX(Wired)



CTMO201
GLIDEX(Wired)



CTMOW251
SPARK(Wireless)



1000/1200
DPI



Support Windows/
Mac



Adjustable DPI



PC+ABS
Material



Optical LED
Orientated



Plug & Play



Design for
gamer



1.5m
Type-C

Detach cable



Anti-slip
Design



90% Noise
Reduction



USB Interface

LAPTOP COOLING PAD



Model : CTLC101

ChillTech



Model : CTLC151

Glacier



Games



Business Office



Wind Speed



Light Regulation

Laptop
Stand



Edge

Model : CTPS71



PHONE STAND
360° ROTATABLE PHONE STAND

FEATURES:

- Angle adjustable
- Portable & Foldable
- Double Folding



**SECURITY
SURVEILLANCE
&
NETWORKING**





CAMERA



CCTV SMPS



CCTV CABLE



CAT 6 CABLE




WIRELESS ROUTER



HIGH ENDURANCE
MEMORY CARD



POE SWITCH



DVR RACKS



DVR / NVR



MINI USB ADAPTOR

IP SURVEILLANCE CAMERA

**4MP IP DOME
WARM CAMERA**

CT-CM-IDW4MP

- 4MP Resolution, Full Color, Plastic Body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart 265, H265, H264
- Support 3D DNR and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

**4MP IP BULLET
WARM CAMERA**

CT-CM-IBW4MP

- 4MP Resolution, Full Color, Plastic body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265, H.264
- Support 3D DNR and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- working temperature 0°C ~ 50°C
- Working Humidity 0%~90%

**4MP IP EAGLE DOME
CAMERA**

CT-CM-IDW4MPE

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

**4MP IP EAGLE BULLET
CAMERA**

CT-CM-IBW4MPE

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- working temperature 0°C ~ 50°C
- working humidity 0%~90%

**4MP IP NIGHT HAWK
DOME CAMERA**

CT-CM-IDM4MP

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Support : humanoid /motion and vehicle detection
- Smart H.265, H.265,H264
- Support 3D DNR, BLC and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- Working @ 0.01LUX
- POE In-built, Power 12V/1A

**4MP IP NIGHT HAWK
BULLET CAMERA**

CT-CM-IBM4MP

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Support : humanoid /motion and vehicle detection
- Smart H.265, H.265,H264
- Support 3D DNR, BLC and Digital WDR
- Support ONVIF, Access Third Party RTSP Protocol
- Working @ 0.01LUX
- POE In-built, Power 12V/1A

IP SURVEILLANCE CAMERA

6MP IP DOME WARM CAMERA

CT-CM-IDW6MP

- 6MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

8MP IP WARM Dome CAMERA

CT-CM-IDW8MP

- 8MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

6MP IP WARM BULLET CAMERA

CT-CM-IBW6MP

- 6MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

TWO WAY BULLET/DOME CAMERA WARM 4 MP

CT-CM-IBW4MPTW/CT-CM-IDW4MPTW

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in-Mic and Two-Way RCA (Connector Two-Way)
- Color Distance Upto 20 mtr
- Smart H.265, H.265H.264
- Support 3D , BLC and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working tempreture 0°C ~ 50°C
- Working humidity 0%~90%

6 MM IP CAMERA WARM BULLET

CT-CM-IBW6MM

- 4MP Resolution , Full Color , Plastic body
- High Quality, 6mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 30 mtr
- Smart H.265, H.265H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

12 MM IP CAMERA WARM BULLET

CT-CM-IBW12MM

- 4MP Resolution , Full Color , Plastic body
- High Quality, 12mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 40 mtr
- Smart H.265, H.265H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°C ~ 50°C
- Working humidity 0%~90%

SMART CAMERA

**2MP + 2MP
4G LINKAGE MINI**

CT-CM-4MLPT

- 2MP + 2MP resolution for clear & sharp visuals
- Dual Intelligent Camera
- Two Way Audio Intercom
- Human detection and Human tracking with Push Notifications
- 10X Digital Zoom
- IP66 Rated Dust & Water Resistant
- Mobile App/PC Monitoring with Easy Cloud
- Upto 256GB SD Card Support

**3MP + 3MP
4G SOLAR LINKAGE**

CT-CM-6MLPT

- 3MP+3MP 4G SolarLinkage PT Camera
- Two Way Audio Intercom
- 10X Digital Zoom, Dual Intelligent Camera
- Human detection and Human tracking with Push Notifications
- IP66 Rated Dust & Water Resistant
- Mobile App/PC Monitoring with Easy Cloud
- Solar Panel :8 Watt
- Upto 256GB SD Card Support

**4G CCTV CAMERA
DOME**

CT-CM-IDD4G3M

- 3MP (2304 X 1296)Resolution
- Bullet Camera, All Time Color Vision
- Full Duplex Audio Intercom(built-in High Sensitivity Mic & Speaker)
- 4g Connection Or Code For Easy To Add Camera In The App
- Monitoring: Mobile/pc Software(EseeCloud)
- 10X Digital Zoom
- Mobile Notification On Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Support Micro Sd Card Upto 256gb & Cloud Storage(optional)

**4G CCTV CAMERA
BULLET**

CT-CM-IBD4G3M

- 3MP (2304 X 1296)Resolution
- Bullet Camera, All Time Color Vision
- Full Duplex Audio Intercom(built-in High Sensitivity Mic & Speaker)
- 4g Connection Or Code For Easy To Add Camera In The App
- Monitoring: Mobile/pc Software(EseeCloud)
- 10X Digital Zoom
- Mobile Notification On Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Support Micro Sd Card Upto 256gb & Cloud Storage(optional)

**3MP + 3MP
4G SOLAR LINKAGE(New)**

CT-CM-6MLPTH

- 3MP + 3MP Dual Linkage Solar Camera
- H.265 Video Compression
- Dual-Light Night Vision
- Pan/Tilt Tracking -Auto human tracking
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always ON Video) 24 X 7 Recording
- 8Ww solar panel, ultra long standby time & long recording
- App : HiEasy

**4G SOLAR PT WITH
4 LENS LINKAGE CAMERA**

CT-CM-12MLPTH

- 3MP* 4 lens linkage solar camera
- Pan/ Tilt Tracking - Auto human tracking
- H.265 / H.264 Video Compression
- Dual light day & night full color vision
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always ON Video) 24 X 7 Recording
- App: HiEasy

SMART CAMERA

**4G SOLAR 3MP+3MP
LINKAGE PTZ CAMERA**

CT-CM-6MLPTHX

- 3MP+3MP, resolution with 16X optical zoom
- Pan/ Tilt Tracking - Auto human tracking
- H.265 / H.265 Video Compression
- Dual light day & night full color vision
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always On Video) 24 X 7 Recording
- App: HiEasy

**WIRELESS WIFI 3MP
MINI CAMERA**

CT-CM-W3MPHRP

- 3 MP HD with Camera
- Two Way Communication
- Compression: H.264/H.265/H.265+
- Wi-Fi connection QR code for Easy to add camera in the app
- Monitoring: Mobile/PC Software(Easy cloud)
- Alexa Support
- AP Mode Available for local View
- Support Micro SD Card upto 256GB & Cloud Storage(Optional)

**3MP+3MP 4G MINI PT
CAMERA**

CT-CM-6M4GPTH

- 3MP + 3MP Dual Linkage Camera
- H.265 Video Compression
- Dual-Light Night Vision
- Pan/Tilt Tracking-Auto human tracking
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- App : HiEasy

**WIRELESS WIFI 2MP
MINI CAMERA**

CT-CM-W2MPATC

- 2 MP HD wi-Fi Camera
- Smart Mode Supportable
- Human detection and Human tracking with Push Notifications
- Support ONVIF, TF Card upto 256GB and Cloud Storage
- Two Way Communication
- view any time, anywhere via Easy Cloud Mobile App
- AP Mode Available for local View

ANALOG CCTV CAMERA

**CCTV HD CAMERA
2MP BULLET-W**

CTCMHBW2MPA

- 1/3", 2.0MP, CMOS Sensor, Bullet
- Lens 3.6mm Fixed Lens
- Color Night Vision upto 20 meters
- Support: Audio (TVI, CVI)
- Warm Starlight Array
- 3D Noise Reduction, Multi Angle Adjustable
- Operating Temperature -10OC - 50OC
- 12V Weather resistance, Plastic Body

**CCTV HD CAMERA
2MP DOME-W**

CTCMHDW2MPA

- 1/3", 2.0MP, CMOS Sensor, Dome
- Lens 3.6mm Fixed Lens
- Color Night Vision upto 20 meters
- Support: Audio (TVI, CVI)
- Warm Starlight Array
- 3D Noise Reduction, Multi Angle Adjustable
- Operating Temperature -10°C - 50°C
- 12V Weather resistance, Plastic Body

**5MP CCTV AHD BULLET
CAMERA**

CTCMHBW5MPA

- 1/3", 5.0 MP@12.5 FPS Default , CMOS Sensor, Bullet
- Lens 3.6 mm Fixed lens
- Color Night Vision Upto 20 meters
- Support: Audio (TVI, CVI)
- Warm Starlight Array
- 3D Noise Reduction , Multi Angle Adjustable
- Oprating Temperature -10°C - 50°C
- 12V/1A weather resistance , Plastic Body

**5MP CCTV AHD DOME
CAMERA**

CTCMHDW5MPA

- 1/3", 5.0 MP@12.5 FPS Default , CMOS Sensor, Dome
- Lens 3.6 mm Fixed lens
- Color Night Vision Upto 20 meters
- Support: Audio (TVI, CVI)
- Warm Starlight Array
- 3D Noise Reduction , Multi Angle Adjustable
- Oprating Temperature -10°C - 50°C
- 12V/1A weather resistance , Plastic Body



POE SWITCH



**APP BASED
POE SWITCH**
CT-16P-2UG-1S-D


Plug & Play Easy To Use No Configuration Require



Long Distance POE Upto 250m Long Distance


CG-8P-CE


Plug & Play Easy To Use No Configuration Require



Long Distance POE Upto 250m Long Distance


CT-24P-2UG-D


Plug & Play Easy To Use No Configuration Require



Long Distance POE Upto 250m Long Distance



 **WATCH DOG POE**

 **4 & 8 CH POE SWITCH**



Plug & Play Easy To Use No Configuration Require



Distance POE Upto 250m Long Distance



Automatic device Test Using The Ping Function



Self Monitoring Function .



Automatically Detect & Restart.



POE SWITCH

POE Switch (C-4P-2UE-V)	4x100M POE+2x100M UPLINK port, unit power 78W.
POE Switch (C-8P-2UE-V)	8x100M POE+2x100M UPLINK port, total power 100W.
POE Switch (C-8P-2UG)	8x100M POE ports+2x1000M UPLINK ports, total power 100W.
POE Switch (C-8P-2UG-1S)	8x100M POE ports+2x1000M UPLINK ports + 1SFP built-in-power supply, total power 100W.
POE Switch (CG-4P-2UG)	4x1000M POE ports+2x1000M UPLINK port. total power 100W.
POE Switch (CG-8P-2UG)	8x1000M POE ports+2x1000M UPLINK port. total power 100W.
POE Switch (CG-8P-2UG-2S)	8x1000M POE ports+2x1000M UPLINK port.+ 2SFP, total power 100W.
POE Switch (CG-16P-2UG-1S)	16x100M POE ports+2x1000M UPLINK port.+ 1SFP ports, total power 260W.
POE Switch (CG-16P-2UG-2S)	16x full 1000M POE ports+2x1000M UPLINK port.+ 2SFP ports, total power 260W.
POE Switch (CG-24P-2UG-2S)	24x full 1000M POE ports+2x1000M UPLINK port.+ 2x1000M SFP ports, total power 400W.



IP CAMERA



WIRELESS



IP PHONE



5 PORT ETHERNET SWITCH

GIGA

 5V/1A
Power Supply 10/100/1000Mbps
Speed Forwarding Rate
7.44 Mbps

 10 Gbps
Bandwidth

 IEEE802.3, IEEE802.3u
Network

8 PORT ETHERNET SWITCH

GIGA

 5V/1A
Power Supply 10/100/1000Mbps
Speed Forwarding Rate
1.1904 Mbps

 1.6 Gbps
Bandwidth

 IEEE802.3, IEEE802.3u
Network

5 PORT ETHERNET SWITCH

NORMAL

 5V/1A
Power Supply 10/100 Mbps
Speed Forwarding Rate
0.744 Mbps

8 PORT ETHERNET SWITCH

NORMAL

 5V/1A
Power Supply 10/100Mbps
Speed Forwarding Rate
1.1904 Mbps

 1.6 Gbps
Bandwidth

 IEEE802.3, IEEE802.3u
Network


ETHERNET GIGA 16PORT SWITCH



External 12V DC/1A
Power Adapter



16x10/100/
1000 Trans.



IEEE802.3, IEEE802
3u Standard



Support Auto
MDI/MDIX



Lightning
Protection

MADE IN-MADE FOR
Bharat

POE EXTENDER

1 Poe Input And 3 Poe Output



Port-based
VLAN



25W PoE
Output



30W PoE
Input



Multiple Levels
Cascade Support



Fast Ethernet



Wall Mountable



P2P




DVR RACK

DVR Walls Mount are
Specially Designed for
CCTV Surveillance



Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 4U



Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 2U/4U/6U/9U



Construction : Welded



Side Panels : Integrated with Top & Bottom



Front Door : Lockable Toughened




Static Load : 15 Kg



Standard Finish : Powder coated with
7 Tank pre-treatment processes.

DVR Walls Mount are Specially Designed for CCTV Surveillance

DVRs / NVRs / Switches Rack
Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 6U





CABLES



CCA & CAT6 CABLE

3+1 CCTV Cable



CT-CC

- 70 Meters / 90 Meters
- 90 Meter Gold Series
- 90 Meter (Outdoor)
- 90 Yards
- Length Bundle
- All Weather PVC
- Cable With
- Extra Density Shield
- Long Term Durability

CAT6 100M CCA CABLE



CT-CC-100M/CT-CC-100M-OD

- CCA Conductor (Copper Clad Aluminium)
- Supports 10/100/1000 Mbps
- Bandwidth up to 250 Mhz
- Twisted Pair – Low Interference
- Durable Outer Jacket
- Ideal for CCTV & Networking Use

CAT6 100M COPPER CABLE



CT-CC-100MC

- CAT-6 UTP Cable
- 100 Meters Length
- 100% Copper Conductor (CU)
- Supports Up to 1 Gbps
- Bandwidth Up to 250 Mhz
- Suitable for Gigabit Networks

CAT6 305M CCA CABLE



CT-CC-305M

- CAT-6 UTP Cable
- Length: 305 Meters
- Conductor: CCA (Copper-Clad Aluminum)
- Bandwidth: Up to 250 MHz
- Supports Gigabit Ethernet (1 Gbps)
- Suitable for LAN, CCTV, and Networking

CAT6 305M COPPER CABLE



CT-CC-305MC/CT-CC-305MC-OD

- High-quality CAT6 Copper Cable
- 305 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Pure copper conductors for optimal performance

CAT6 CCA 305M OD CABLE



CT-CC-305M-OD

- CAT6 CCA (Copper-Clad Aluminum) Cable
- 305 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Durable outer jacket (OD) for protection and longevity

CCA & CAT6 CABLE

CAT6 COPPER 100M OD CABLE

CTCC-100MC-OD

- High-quality CAT6 Copper Cable
- 100 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Durable outer jacket (OD) for protection and longevity

CAT6 CCA 305M OD CABLE

CT-CC-305M-OD

- High-quality 3+1 core design for stable signal transmission
- Length: 70 meters per roll
- Durable insulation for long-lasting performance
- Flexible and easy to install
- Suitable for CCTV and networking applications
- Corrosion-resistant copper conductors for reliable connectivity

CAT6 305M CCA CABLE

CT-CC-305-E

- CAT-6 UTP Cable – 305 Meters
- Conductor: CCA (Copper-Clad Aluminum)
- Imported Quality – Reliable Performance
- Bandwidth: Up to 250 Mhz
- Supports Gigabit Ethernet (1 Gbps)
- Ideal for LAN, CCTV & Networking Installations

3+1 90M CABLE GOLD

CT-CC-90MG

- Premium 3+1 core design for reliable signal transmission
- Gold-coated conductors for enhanced conductivity and corrosion resistance
- Length: 90 meters per roll
- Flexible and easy to install for CCTV and networking use
- Durable insulation ensures long-lasting performance

3+1 90M OUTDOOR CABLE

CT-CC-90M-OD

- 3+1 core design for stable signal transmission
- Outdoor-grade cable with UV-resistant and weatherproof jacket
- Length: 90 meters per roll
- Flexible and easy to install for CCTV and networking applications
- Corrosion-resistant copper conductors for reliable performance

CAT6 100M CCA CABLE

CT-CC-100-E

- CAT-6 UTP Cable – 100 Meters
- Conductor: CCA (Copper-Clad Aluminum)
- Imported Quality – Durable & Reliable
- Bandwidth: Up to 250 Mhz
- Supports Gigabit Ethernet (1 Gbps)
- Ideal for LAN, CCTV & Networking

3+1 CCTV Cable

CT-CC-90Y

- 3+1 core design for reliable signal transmission
- High-quality copper conductors for stable connectivity
- Length: 90 meters per roll
- Durable insulation for long-lasting performance
- Flexible and easy to install for CCTV and networking applications

BNC/DNC CABLE

BNC CABLE**CT-BPG15**

- High-quality coaxial cable with BNC connectors for reliable video transmission
- Superior shielding to minimize signal interference and noise
- Flexible and durable for easy installation
- Compatible with all standard CCTV cameras and DVRs
- Long-lasting performance with corrosion-resistant conductors

DC CABLE**CT-DPC05**

- High-quality copper conductors for stable power transmission
- Flexible insulation for easy installation in tight spaces
- Corrosion-resistant & durable for long-lasting use
- Compatible with all CCTV cameras and power adapters
- Ensures reliable power supply for uninterrupted surveillance

BNC BRASS**CT-BPB20/25**

- High-quality coaxial cable with BNC connectors for stable video transmission
- Integrated brace design for added strength and durability
- Superior shielding to reduce interference and signal loss
- Flexible and easy to install for CCTV systems
- Long-lasting performance with corrosion-resistant conductors

DC BRASS**CT-DPC05**

- High-quality copper conductors for stable and reliable power transmission
- Integrated brace design for enhanced strength & durability
- Flexible insulation for easy installation in tight spaces
- Corrosion-resistant for long-lasting performance
- Ensures consistent power supply for CCTV cameras

High Speed **HDMI Cable**

 **Box**
TV Box

 **Display**
LCD

 **Media**
Player

 **Use**
TV

0HFGKHS



HDMI 2.0
STANDARD
TRANSMISSION

4K★2K
ULTRA HD



High Speed **HDTV Cable**

 **Connector**
24K Gold-Plated

 **Display**
Dual Screen

 **Resolution**
1920x1080P

 **Support**
DTS-HD





ROUTERS



VELOCITY

WIRELESS ROUTER



SUPPORTS



Plug & Play


 All GSM
Network
Connectivity


LAN/WAN


 12V 1a- BIS
Approved

 5 dB
Triple
Antenna

 High Grade
1 mtr.
Patch Cord

FEATURES:

- Connectivity : Plug & Play
- Extensive Range with Beamforming.
- Router /LAN/WAN
- Multiple Modes.
- IPTV and 4K TV Supported



WiFi 6 WIRELESS 4G ROUTER



4G Ultra Speed



Secure Network



Insert SIM & Play



Ethernet Port


 External Triple
Antenna

 32 Users
Connection


VELOX

CT-V4GR-TAW6

WiFi 6 WIRELESS ROUTER



Ethernet Port

Single Lan Port



Interface

USB Type-C



SIM Card

All SIM Supported



Speed

300Mbps



Antenna

 External High
Range


VELORA

CT-4GR-FAW6

CCTV SMPS

4/8 CH CCTV POWER SUPPLY MULTI



CT-CPS-04PG/CT-CPS-08PG

- 4/8-channel output for multiple CCTV cameras
- Stable and reliable power supply for uninterrupted surveillance
- Built-in short-circuit, overload, and surge protection
- Compact, durable, and easy-to-install design
- High-efficiency performance to save energy and ensure long life

CCTV POWER SUPPLY MULTI



CT-CPS-016PG

- 16-channel output for multiple CCTV cameras
- Stable and reliable power supply for uninterrupted surveillance
- Built-in short-circuit, overload, and surge protection
- Compact, durable, and easy-to-install design
- High-efficiency performance to save energy & ensure long life

4/8 CHANNEL MULTI SMPS



CT-CPS-4PG/CT-CPS-8PG

- 4/8 Channel Multi Output – Ideal for multiple CCTV cameras
- Stable power supply for uninterrupted performance
- In-built short circuit, overload & surge protection
- High efficiency for long life and low power loss
- Compact and durable metal body for better safety

16 CHANNEL SINGLE OUTPUT



CT-CPS-16PG

- 16 Channel Single Output – Ideal for large CCTV setups
- Stable and reliable power supply for smooth operation
- In-built short circuit, overload & surge protection
- High efficiency for long life and low power consumption
- Strong and durable metal body for maximum safety

HIGH ENDURANCE microSD MEMORY CARD

Upto 90MB/S Read, 45MB/s Write



Durable



High Performance



Suitable for
Surveillance
Cameras



Class 10
Memory card

For Home Security,
Professional Surveillance,
Body and Dash Cams UHS-I



Capacity Available



256
GB



128
GB



64
GB





HVR's/NVR's



HYBRID VIDEO RECORDER

**16CH****8CH****4CH**

H.265/H265+



P2P



Coaxial Support



24x7 Recording



AI



VMS Support



Mobile App

NETWORK VIDEO RECORDER

**36CH****16CH****10CH**

H.265/H265+



AI



ONVIF



P2P

Push
Notification24x7
RecordingVMS
Support

Mobile App

DIGITAL VIDEO RECORDER

**16CH****8CH****4CH**

HD Output



DDNS



Network



PTZ



Audio



MIC



Mobile



CMS



USB



Mouse

NETWORK VIDEO RECORDER

**16CH****8CH****4CH**

HD Output



HD IPC



DDNS



PTZ



Audio



Network



Mobile



CMS



USB



ONVIF



MEDIA CONVERTER

ETHERNET MEDIA CONVERTER



GIGA
CT-MC100G



MEGA
CT-MC100N



10/100/1000Mbps
Speed



RJ45 Transmission
Dist. Up to 100Mtr



Convenience
Automatic MDI/MDI-X



5V DC 1A/2A
Power Supply



Voltage Protection



OPS Range 0°C
to +65°C



UPS

CCTV-UPS



PowerEye
CT-UPS-CH08

- **PROTECTION**

Advanced Protection Features

- **INPUT RANGE**

Operates from AC180V to 265V

- **STATUS**

LED Indicators

- **POWER INPUT**

11.4V TO 12.5V

- **POWER OUTPUT**

11.4V TO 12.5V

- **BATTERY**

2200 MAH*2



Long Battery Backup Power



500mA Charging Current



Lithium-ion Battery



Supports Multiple Devices



Short-Circuit Protection



12v/2Amp UPS



Microcontroller Based Solution



Deep Discharge Protection



Online UPS, Zero Lagging



Short Circuit Protection

WI-FI DONGLE

MINI USB ADAPTER 150MBPS

 150 Mbps

Speed

 USB 2.0 Video Streaming 300 Mbps

Speed



USB 2.0



Video Streaming

MINI USB ADAPTER 300MBPS

UPS BATTERY

ECO
FRIENDLYFAST
CHARGINGLONG LIFE
BATTERY



CONSSUMER ELECTRONICS

LED TELEVISION

**Model :****3211H, 4011H, 4311H**

- Smart
- Android 8
- Internal Storage 8 GB
- RAM 1 GB
- Wifi
- Mira Cast
- HDMI / VGA
- TF Card Port
- Lane
- Sound Bar

2450, 3200H, 4000H

- Normal
- Full HD Support
- HDMI
- VGA
- USB
- RF (Radio Frequency)
- PC Audio In
- Earphone Out

CONSUMER ELECTRONICS





PRINT CONSUMABLES



Mono Toner Cartridge



Colour Toner Cartridge



Laser Toner Powder



Copier Toner Powder



Toner Drum

LASER TONER CARTRIDGE



Reliable Cartridges



Professional Quality Print



Maximum Page Yield



Cost Effective



Easy Refill Model

- CT-TC-925R, ■ CT-TC-88AR, ■ CT-TC-337R, ■ CT-TC-12AR

Model No. :

■ CTTC0925U	■ CTTC0200	■ CTTC055A	■ CTTC110A	■ CTTC226A	■ CTTC279A	■ CTTCC0543	■ CTTCE412	■ CTTCCF501	■ CTTC110W
■ CTTC005A	■ CTTC0300	■ CTTC-78A	■ CTTC1114	■ CTTC228A	■ CTTC3410	■ CTTCCE400	■ CTTCE413	■ CTTCCF502	
■ CTTC0100	■ CTTC0310	■ CTTC088A	■ CTTC116D	■ CTTC228X	■ CTTC450D	■ CTTCCE401	■ CTTCCF400	■ CTTCCF503	
■ CTTC0101	■ CTTC0337	■ CTTC0925	■ CTTC1178	■ CTTC2365	■ CTTCB021	■ CTTCCE402	■ CTTCCF401	■ CTTCCF510	
■ CTTC0116	■ CTTC042A	■ CTTC1020	■ CTTC203L	■ CTTC2365DR	■ CTTCC0540	■ CTTCCE403	■ CTTCCF402	■ CTTCCF511	
■ CTTC011A	■ CTTC0450	■ CTTC1020D	■ CTTC208P	■ CTTC247A	■ CTTCC0541	■ CTTCCE410	■ CTTCCF403	■ CTTCCF512	
■ CTTC012A	■ CTTC053A	■ CTTC1043	■ CTTC210P	■ CTTC256A	■ CTTCC0542	■ CTTCCE411	■ CTTCCF500	■ CTTCCF513	



LASER TONER POWDER

CTTPH1210	LASER HP JET PRINTER AX/1010/1100/1200/2100/4000/5000/8150/CANONLBP1210/3900	100g	80 Bottle in Carton
CTTPH1212	LASER HP JET PRINTER AX/1010/1100/1200/2100/4000/5000/8150/CANONLBP1210/3900	120g	80 Bottle in Carton
CTTPH88P	LASER HP 1505/1006/1007/1008/P1100/P1102/P1505/P1566/P1606N U PRO 104A/U ULTRA 105W/M132MFP/MFP M134FM	70g	80 Bottle in Carton
CTTPH88S	LASER HP 1505/1006/1007/1008/P1100/P1102/P1505/P1566/P1606N	70g	80 Bottle in Carton
CTTPS70P	SAMSUNG ML-1010/1210/1450/1610/1710/1911/2010/2526/2581/5000/6060	70g	80 Bottle in Carton
CTTPB80P	BROTHER DCP-7060/7065/7070, Brother FAX 7860/2840/2940/2950, HL-2130/2132/2135/2220/2230, HL-2240/2242/2250/2280, MFC-7240/7360/7362 (TN-2210/TN-2220), Konica Minolta Page Pro 1500/1580/1590(TNP28/TNP29)	80g	80 Bottle in Carton



-  Extra
-  Extra Dark
-  High Density
-  Maximum Yield

TONER DRUM



OPC DRUM 8800 GREEN



OPC DRUM 8800 PURPLE

COPIER POWDER



Compatible with
Major Copier Machine



High
Page Yield



Crisp & Extra
Dark Prints



Cost-effective
Solution



Moisture Free
Packing



100% Copier
Machine Friendly

FEATURES:

- EXTRA DARK, SUPER GRAPHIC
- CAN BE USED IN BAD CONDITION
- LOW WASTAGE, HIGH YIELD
- STORE IN A COOL & DRY PLACE
- HIGH PERSEVERANCE AND DENSITY
- SHAKE WELL BEFORE USE

Available Models

Model Name	CT-CP-CU-001	CT-CP-CC-001	CT-CP-PP-001	CT-CP-RA-500	CT-CP-SP-500	CT-CP-KC-001	CT-CP-KM-001
Brand Name	CONSISTENT MAGIC	CONSISTENT SUPER MAGIC	CONSISTENT Premium Powder	CONSISTENT Ricoh Aficio	CONSISTENT Sharp Powder	CONSISTENT ROYAL MAGIC	CONSISTENT KM
Copier Brands	Canon (Universal)	Canon (Copier)	XEROX	RICOH	SHARP	Kyocera Mita	Konica Minolta





SPEAKERS





DESI VIBE
USB RGB GAMING SOUND BAR
SPEAKER CTSUR206



SUR TAAL
2.0 MINI GAMING SPEAKER
CTSUL201



BANG BANG
2.0 RGB GAMING SPEAKER
CTSUR207



SA RE GA MA
2.0 GAMING SPEAKER
CTSUL202



6W Power



Stereo Sound



1M
Cable Length



2*2" full Range
Driver Unit



LED GAMING
LIGHTS



EXCELLENT GAME
POSITIONING
SENSE



EXCELLENT
BASS



CURRENCY COUNTING MACHINE





CASHMATE
CURRENCY COUNTING MACHINE
CTBCNBS02



CASHMETER
CURRENCY COUNTING MACHINE
CTBCNED02



CASHSHIELD
CURRENCY COUNTING MACHINE
CTBCNVC02



Automatic
Start, Stop



Preset, Batch &
Add Counting



UV, MG
Detection



Counting Speed
Over 1000pcs/min



Batch, ADD
Counting



Half, Double, Chain
Banknote Detection



Can Update
by USB



With External
Display



Half-note
Checking



Counterfeit
Alarm



Auto/ Manual
Counting



UV, MG, IR
Detection



TFT
Display



Mixed Value
Counting



Two Pocket



Two CIS



POWER SOCKET EXTENSION



POWER SOCKET EXTENSION



1.CTEC003D15M
2.CTEC003D30M
3.CTEC003D50M



1.CTEC001E15M
2.CTEC001E30M
3.CTEC001E50M



1.CTEC002C15M
2.CTEC002C30M
3.CTEC002C50M



1.CTEC004E15M
2.CTEC004E30M
3.CTEC004E50M



PD FAST
CHARGE



BIG POWER



ON/OFF



Material
ABS



Max Output
Power:2500W



LED
Indicator



Children Safety
Shutter



MAGNET FAN, ARGB AIO LIQUID COOLER & ARGB CPU FAN

UPCOMING



Triple Cool Wave

3 IN 1 ARGB MAGNET FAN



CTAMC301

CoolWave

ARGB MAGNET FAN



CTAMA101

HydroCool

ARGB AIO LIQUID COOLER



CTLCC30

IcePulse

ARGB AIO LIQUID COOLER



CTLCB20

RapidCool

ARGB CPU FAN



CTACA50

MOTION

ARGB CPU FAN



CTACA01

ASRock
POLYCHROME SYNC

ASUS
AURA SYNC

MSI
MYSTIC LIGHT SYNC

BEARING HYDRAULICS

RATED CURRENT 0.20A



600-1800 RPM of Speed



70 CFM



33.5 dBA



ARGB SYNC



3x120mm ARGB Fans



High Flow Pump (130L/H)



Wide CPU Support (Intel & AMD)



280W Cooling Power



≤ 26.9dBA



S
U
B
H
U
B
U

DOCKS

3-in-1 Type-C



CONNECTO
CTUD1031C

USB LAN

TYPE-C



MULTIX
CTUL1020C

DOCKS

4-in-1 Multiport Type-C



LINKLET
CTUD1041C

DOCKS

5-in-1 TYPE-C



HUBLIX
CTUD1051C

DOCKS

8-in-1 TYPE-C



DOCKLET
CTUD1081C

HUB

4-in-1 USB HUB



PORTIQ
CTUH1041C

HUB

2-in-1 4 USB PORTS



PLUGGO
CTUH10214



RJ45
SUPPORT
100Mbps



Universal
Compatibility



PD Charging
Port



Metallic
Body



USB 3.0
(480Mbps)



Over Current
Protection



Support,
win/Mac/Linux



Type-C To USB
3.0



HDTV
4k@30Hz



SDx1,TFx1



Type-C



Handy Easy
To carry



Short Circuit
Protection



Plug &
Play



High Speed
Data Transfer



Lightweight



Fastest Growing Indian CCTV Brand



The Fastest Growing Gaming Brand

Branch Offices Across India

- Ahmedabad: 8929786904
- Bangalore: 8800025215
- Bhubaneswar: 8800025217
- Chandigarh: 8929475337
- Chennai: 8929786910
- Delhi: 8929548601
- Goa: 8830258650
- Guwahati : 8929249565
- Haryana : 8929475328
- Indore: 8929475304
- Jaipur: 8929249556
- KASHMIR: 8368956733
- Kochi: 8882247349
- Kolkata: 8929475313
- Lucknow: 8929249564
- Ludhiana: 8800025228
- Maharashtra: 8929475354
- Patna: 8800025232
- Raipur: 8800025239
- Ranchi: 8800025241
- Siliguri: 8929475313
- Telangana: 8929475324
- Uttarakhand: 8923252825

Service Centers Across India

NORTH: **Chandigarh:** Chandigarh • **Delhi:** Nehru Place • Okhla II • Wazirpur • **Haryana:** Gurugram • **Jammu & Kashmir:** Jammu • Srinagar • **Punjab:** Amritsar • Jalandhar • Ludhiana • **Rajasthan:** Jaipur • Jodhpur • Kota • Udaipur • **Uttar Pradesh:** Agra • Allahabad • Bareilly • Gorakhpur • Kanpur • Lucknow • Varanasi • **EAST & NORTH - EAST:** **Assam:** Guwahati • **Bihar:** Patna • Bhagalpur • Muzaffarpur • Purnia • **Jharkhand:** Dhanbad • Ranchi • **Orrisa:** Bhubaneswar • Sambalpur • **West Bengal:** Kolkata • Siliguri • **WEST & CENTRAL INDIA:** **Chhattisgarh:** Bilaspur • Durg - Bhilainagar • Raipur • **Gujarat:** Ahmedabad • Rajkot • Surat • **Goa:** Panjim • **Madhya Pradesh:** Bhopal • Gwalior • Indore • Jabalpur • **Maharashtra:** Aurangabad • Mumbai • Nagpur • Nashik • Pune • Solapur • **SOUTH:** **Andhra Pradesh:** Vijaywada • Visakhapatnam • **Karnataka:** Mysore • Bengaluru • Mangalore • **Kerala:** Kannur • Kochi • Thiruvananthapuram • Thrissur • **Tamil Nadu:** Chennai • Salem • Tiruchirappalli • Tiruppur • **Telangana:** Hyderabad • **Tripura:** Agartala



Scan to View
Our Catalogue



Scan to Visit
Our Website

Consistent Infosystems Private Limited

Corporate Office:

307, Shakuntala Building, 59, Nehru Place,
New Delhi 110 019. India.

Toll Free: 1800 103 4593

(9:00am to 6:00pm. Monday - Saturday.)

Email: info@consistent.in | Web: www.consistent.in



[consistentinfosystems](#)



[consistent-india](#)



[consistentindia](#)



[consistentinfo1](#)



Consistent Infosystems Pvt. Ltd.



+91.8800025247