

Technology Solutions for a Smarter Future!



Consistent®

 MOTHERBOARD	 GRAPHICS CARD	 SSD	 FLASH MEMORY	 KEYBOARD	 MOUSE
 NETWORKING SOLUTION	 CCTV SOLUTION	 4G ROUTER	 DVR / NVR	 SSD ENCLOSURE	 SMPS
 RAM	 LED MONITOR	 GAMING CABINET	 PRINT CONSUMABLES	 WI-FI DONGLE	 UPS BATTERY

PRODUCT CATALOGUE 2026

www.consistent.in

Follow us on:     

Growth is the only option and change is the only constant in our rapidly changing world where things are moving towards the future with tremendous technological advancement. Consistent Infosystems Private Limited started its glorious journey in 2011 in the capital city of India, New Delhi. Founded by the visionary leaders Mr. Nitin Bansal and Mr. Yogesh Agrawal with a commitment at delivering value to its customers, vendors and employees, Consistent Infosystems Private Limited has become one of the fastest growing IT organization with products catering to IT, Electronics & Home Entertainment industry.

Riding on its innovative approach for over a decade, Consistent has grown successfully and has increased its footprint across all major states in India with **24+** branches, team of **300+** employees, **400+** products in its portfolio and more than **3500+** channel partners.

Leadership and vision clubbed with teamwork and technological advancement in the products has made Consistent a promising brand offering technologically superior products and world class technical support.

Consistent has **78+** service centres across the country ensuring that customers have easy after sales support.

Quality and service are the key parameters on which Consistent has laid its foundation and remain to be of paramount importance in everything they do to provide customer satisfaction.

Consistent has been investing its resources to ensure a future that is '**Smarter, Better and Best for Mankind**'.

Certifications



Branches



Service Centers



Channel Partners



Products



Happy Customers



IT HARDWARE & SOFTWARE





NVME 4th GEN.



M.2 NVME 2230



NVME / M.2 SATA



SSD 2.5"



EXTERNAL HDD 2.5"



FLASH DRIVES



MEMORY CARD




DESKTOP RAM




LAPTOP RAM



MONITOR



MOTHERBOARD



GRAPHIC CARD



CPU COOLER/SMPS



**NOTE COUNTING
MACHINE**



COMPUTER CABINET

NVME 4TH GENERATION

Specifications

MODEL : NVMe 4TH Gen.**3D
NAND****M.2 PCIe
Gen3 X4****LDPC
ADVANCED**

Capacity

512GB

1 TB

2 TB

Read/Write Speed

5000

7000

7300

NVME 2230

Specifications


MODEL : NVMe 2230

3D
NAND

M.2PCIe
Gen3 X4

LDPC
ADVANCED

Capacity	Read/Write Speed
256GB	3200 / 1500
512GB	3200 / 2900
1 TB	3300 / 3000



NVME



Specifications

MODEL : NVMe

**3D
NAND**

**M.2 PCIe
Gen3 X4**

**LDPC
ADVANCED**

Capacity Available


**2
TB**

**1
TB**

**512
GB**

**256
GB**

**128
GB**



M.2 SATA

Typical Application



Proxy
Server



Desktop
Laptop



Specifications

MODEL : M.2 SATA



3D
NAND

M.2 PCIe
Gen3 X4

LDPC
ADVANCED

Capacity Available

1
TB

512
GB

256
GB

128
GB

SSD (Solid State Drive)

Specifications

MODEL : SSD



DURABLE



HIGH
PERFORMANCE



POWER
SAVING



SILENT

Capacity Available


2
TB

1
TB

512
GB

256
GB

128
GB



SSD ENCLOSURE



TOOL FREE



PLUG & PLAY



HIGH
PERFORMANCE



NVME SSD ENCLOSURE 3.1



TOOL FREE



PLUG & PLAY



HIGH
PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 2.0



TOOL FREE



PLUG & PLAY



HIGH
PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 3.0



TOOL FREE



PLUG & PLAY



HIGH
PERFORMANCE



2.5 INCH SATA HDD/SSD ENCLOSURE 3.0

PEN DRIVE



Capacity Available

USB 2.0



Capacity Available

USB 2.0



Capacity Available

USB 3.0



Capacity Available

USB 3.2



Metal Shell



Integrated Keychain Loop



Shock Resistance



Drop Resistance



Small Size



Light Weight



Best Quality ABS Material



Integrated Keychain Loop

PEN DRIVE

Specifications



DURABLE



HIGH
PERFORMANCE



USB 2.0



USB 3.0

Metal Using




Capacity Available

USB 2.0



USB 3.0





Capacity Available



Capacity Available



Compatible with



RAM

Specifications

MODEL : RAM



FAST




VOLATILE



DDR4



DDR3



MODEL:

- CRAM 2GB DDR3- 16/8 Chip(1333/1600)
- CRAM 4GB DDR3- 16/8 Chip(1333/1600)
- CRAM 8GB DDR3(1333/1600)
- CRAM 4GB DDR4(2133/2400/2666/3200)
- CRAM 8GB DDR4 (2133/2400/2666/3200)
- CRAM 16GB DDR4 (2400/2666/3200)
- CRAM 32GB DDR4 (2400/2666/3200)

MODEL:

- LAPTOP CRAM 2GB DDR3(1333/1600)
- LAPTOP CRAM 4GB DDR3(1333/1600)
- LAPTOP CRAM 8GB DDR3(1333/1600)
- LAPTOP CRAM 4GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 8GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 16GB DDR4 (2400/2666/3200)
- LAPTOP CRAM 32GB DDR4 (2400/2666/3200)

RAM

Specifications



Yeti



Support Intel & AMD Motherboard



High Endurance



Durable



Build For Gaming

Capacity Available

DDR4


8GB, 16GB, 32GB

2666MHz, 3200MHz

DDR5

8GB, 16GB, 32GB

4800MHz, 5600MHz



 **Consistent**[®]



LED MONITOR



**27 INCH^{WIDE}
FRAMELESS**

Model No. : CTM2700



**32 INCH^{WIDE}
FRAMELESS**

Model No. : CTM3200



**24 INCH^{WIDE}
FRAMELESS**

Model No. : CTM2400


1920x1080
Resolution


16.7M Color
Display


250cd/m²
Brightness


1920 x 1080
Resolution


16.7M Color
Display


1000:1
Contrast Ratio


12V=4A
Power Supply


Windows
10


FHD


Ultra Slim


1000:1
Contrast Ratio


2x2W Built-
in Speaker


LED
Back Light


2x2W Built-
in Speaker


250cd/m²
Brightness


LED
Back Light


80.01 CM
Curved Panel


Low Power


2x2 Watt
Speaker


Comfort
For Eye

MONITOR

Specifications



MONITOR



Model No : 1804
 Screen Size : 17" (43.4 cm)
 Connectivity : HDMI
 From Factor : SQUARE
 Warranty : 1 YEAR



Model No : 1902
 Screen Size : 18.5"(47cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



Model No : 2001
 Screen Size : 19"(48.26cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



Model No : 2105
 Screen Size : 22"(55.8cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 1 YEAR



**Model No : 2200 WHITE/
 BLACK**
 Screen Size : 23.8" (60.5cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 Warranty : 3 YEAR
 Color : White / Black




**Model No : 2400 WHITE/
 BLACK**
 Screen Size : 23.8" (60.5cm)
 Connectivity : VGA/HDMI
 From Factor : WIDE
 INBUILT : SPEAKER
 Warranty : 3 YEAR
 Color : White /Black



 Consistent®

MOTHERBOARD



MOTHERBOARD

Specifications

MOTHERBOARD



NVMe M.2



RJ 45
1000 Mbps



6x USB 2.0




4x Sata Port



H-610 Standard/
NVMe

- 12th Generation i3,i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-510 Standard/
NVMe

- 10th & 11th Generation i3,i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-310 Standard/
NVMe

- 8th & 9th Generation i3,i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-310C

- 6th, 7th, 8th & 9th Generation i3,i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0




H-110 Standard/
NVMe

- 6th, 7th, 8th & 9th Generation i3,i5, i7
- DDR 4
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-81 (NVMe)

- 4th Generation i3,i5, i7
- DDR 3
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0



H-61 (NVMe)

- 2nd & 3rd Generation i3,i5, i7
- DDR 3
- SATA II / III
- SOUND CARD
- USB 2.0 / 3.0

GRAPHIC CARD

Specifications

GRAPHIC CARD



PCIe
2.0

HIGH
Efficiency

3D VISION
READY


HEATSINK
WITH FAN

LOW
POWER

Optimized Heat
DISSIPATION

multiple
Outputs
HDMI/DVI/VGA

Model No.	CTGT210GD3	CTGT6102GD3	CTGT7304GD3
Model Name	G 210	GT610	GT730
DDR	DDR3	DDR3	DDR3
Capacity	1GB	2GB	4GB
Bit	64 BIT	64 BIT	128 BIT



CPU COOLER



913



916

SMPS



Stable Power Output

Energy Efficient

CPU 4P+4P = 400mm

220V 50Hz 8A
AC INPUT





GAMING & COMPUTER CABINET

COMPUTER CABINET (With SMPS)



Support MB



HDD X 2



Optional Fans Support
2x12cm/1x8cm



Supporting Slot
SSD x 2



Audio / Mic
Jack



Heavy Steel
Metal Body



2 x USB



CIE101



CIE102



CIE103



CIE104



CIE105



CIE106



CIE107



CIE108



CIE109



CIE110



CIP501(Black)



CIP501(White)

GAMING CABINET



Neon



Inferno



nexus



THUNDER



vector



**BLACK
SNIPER**



**WHITE
SNIPER**



**LEGENDOR
BLACK**



**LEGENDOR
WHITE**



VENUS



SPECTRUM



LUNAR


GAMING CABINET



AURALIGHT



**DESTROYER
BLACK**



**DESTROYER
WHITE**



DEFENDER



COSMOS

ENTRY LEVEL GAMING CABINET(1000 SERIES)



SHAKTI



RYNOX



ZARN



YODHA



VORN



VAJRA



THORN



TANDHAV



KEYBOARDS & MOUSE



KEYBOARD & MOUSE

Wireless Combo

Cordless Lifestyle Experience



+



Model :
CMW402 GLORY

1000
DPI

DPI

10m | 33ft



2.4 GHz Wireless

10
meter

Connection
Distance



+



Model :
CMW401 VOICE

Wireless Mouse



Model :
MOW451 SPEEDOO



Model :
MOW452 DEZIRE



Model :
MG1151 FUSION



Wired

Amazing Typing & Gaming Experience

Gaming with RGB



Model :
KG1101 RADIUM



Normal Keyboard



Model :
SK101 CLASSIC SILVER




Model :
SK102 CLASSIC GOLD



GAMING KEYBOARDS



CTGC1150
Black Panther



CTGC1151
Avenger



CTGK1110
Waves



CTGW1130
Storm



CTGK1112
Paradox



CTGK1113
Moonlite



Keystrokes



Plug & Play



Soft Keys



Copper
Wired



USB
Interface



Stylish
Slim Design



Superior
Quality



Comfortable
Usage



LED
Indicator



1.2M
Cable Length

Mouse



CTMOB501
ASTRA
Color : White ○ Black ●



CTGM1153
ECLIPSE
Color : White ○ Black ●



CTGM1154
METEOR
Color : White ○ Black ●



CTMOB502
ORBIT
Color : White ○ Black ●



12800 DPI



Support Windows/
MAC



Adjustable DPI



Forward/backward
shortcut keys



Design for
gamer



Detachable Cable

Support

Windows

iOS

Wired & Wireless Mouse



CTM0202
NOVEX(Wired)



CTMOW251
SPARK(Wireless)



CTM0201
GLIDEX(Wired)



1000/1200
DPI



Support Windows/
Mac



Adjustable DPI



PC+ABS
Material



Optical LED
Orientated



Plug & Play



Design for
gamer



Detachable Cable



Anti-slip
Design



90% Noise
Reduction



USB Interface

LAPTOP COOLING PAD



Model : CTLC101

ChillTech



Games



Business Office



Wind Speed



Light Regulation



Model : CTLC151

Glacier

Laptop
Stand



Edge

Model : CTPS71



PHONE STAND

360° ROTATABLE PHONE STAND

FEATURES:

- Angle adjustable
- Portable & Foldable
- Double Folding



**SECURITY
SURVEILLANCE
&
NETWORKING**





CAMERA



CCTV SMPS



CCTV CABLE



CAT 6 CABLE



WIRELESS ROUTER



HIGH ENDURANCE
MEMORY CARD



POE SWITCH



DVR RACKS



DVR / NVR



MINI USB ADAPTOR

IP SURVEILLANCE CAMERA

<p>4MP IP DOME WARM CAMERA</p> 	<p>CT-CM-IDW4MP</p> <ul style="list-style-type: none"> • 4MP Resolution, Full Color, Plastic Body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Smart 265, H265, H264 • Support 3D DNR and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • POE In-built, Power 12V/1A • Working temperature 0°c ~ 50°c • Working humidity 0%~90% 	<p>4MP IP BULLET WARM CAMERA</p> 	<p>CT-CM-IBW4MP</p> <ul style="list-style-type: none"> • 4MP Resolution, Full Color , Plastic body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Smart H.265, H.265,H.264 • Support 3D DNR and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • POE In-built, Power 12V/1A • working temperature 0°c ~ 50°c • Working Humidity 0%~90%
<p>4MP IP EAGLE DOME CAMERA</p> 	<p>CT-CM-IDW4MPE</p> <ul style="list-style-type: none"> • 4MP Resolution Video Output, Metal Body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Smart H.265, H.265,H.264 • Support 3D DNR and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • POE In-built, Power 12V/1A • Working temperature 0°c ~ 50°c • Working humidity 0%~90% 	<p>4MP IP EAGLE BULLET CAMERA</p> 	<p>CT-CM-IBW4MPE</p> <ul style="list-style-type: none"> • 4MP Resolution Video Output, Metal Body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Smart H.265, H.265,H.264 • Support 3D DNR and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • POE In-built, Power 12V/1A • working temperature 0°c ~ 50°c • working humidity 0%~90%
<p>4MP IP NIGHT HAWK DOME CAMERA</p> 	<p>CT-CM-IDM4MP</p> <ul style="list-style-type: none"> • 4MP Resolution Video Output, Metal Body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Support : humanoid /motion and vehicle detection • Smart H.265, H.265,H264 • Support 3D DNR , BLC and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • Working @ 0.01LUX • POE In-built, Power 12V/1A 	<p>4MP IP NIGHT HAWK BULLET CAMERA</p> 	<p>CT-CM-IBM4MP</p> <ul style="list-style-type: none"> • 4MP Resolution Video Output, Metal Body • High Quality, 4mm Fixed Lens • Built-in-Microphone • Color Distance Upto 20 mtr • Support : humanoid /motion and vehicle detection • Smart H.265, H.265,H264 • Support 3D DNR , BLC and Digital WDR • Support ONVIF , Access Third Party RTSP Protocol • Working @ 0.01LUX • POE In-built, Power 12V/1A

IP SURVEILLANCE CAMERA

6MP IP DOME WARM CAMERA

CT-CM-IDW6MP

- 6MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- working temperature 0°c ~ 50°c
- working humidity 0%~90%

6MP IP WARM BULLET CAMERA

CT-CM-IBW6MP

- 6MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

TWO WAY BULLET/DOME CAMERA WARM 4 MP

CT-CM-IBW4MPTW/CT-CM-IDW4MPTW

- 4MP Resolution Video Output, Metal Body
- High Quality, 4mm Fixed Lens
- Built-in Mic and Two-Way RCA (Connector Two-Way)
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H264
- Support 3D DNR, BLC and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

8MP IP WARM Dome CAMERA

CT-CM-IDW8MP

- 8MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

8MP IP WARM BULLET CAMERA

CT-CM-IBW8MP

- 8MP Resolution , Full Color , Full Metal body
- High Quality, 4mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 20 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

8 MM IP CAMERA WARM BULLET

CT-CM-IBW8MM

- 4MP Resolution , Full Color , Plastic body
- High Quality, 8mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 40 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

6 MM IP CAMERA WARM BULLET

CT-CM-IBW6MM

- 4MP Resolution , Full Color , Plastic body
- High Quality, 6mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 30 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

12 MM IP CAMERA WARM BULLET

CT-CM-IBW12MM

- 4MP Resolution , Full Color , Plastic body
- High Quality, 12mm Fixed Lens
- Built-in-Microphone
- Color Distance Upto 60 mtr
- Smart H.265, H.265,H.264
- Support 3D DNR and Digital WDR
- Support ONVIF , Access Third Party RTSP Protocol
- POE In-built, Power 12V/1A
- Working temperature 0°c ~ 50°c
- Working humidity 0%~90%

SMART CAMERA

2MP + 2MP 4G LINKAGE MINI



CT-CM-4MLPT

- 2MP + 2MP resolution for clear & sharp visuals
- Dual Intelligent Camera
- Two Way Audio Intercom
- Human detection and Human tracking with Push Notifications
- 10X Digital Zoom
- IP66 Rated Dust & Water Resistant
- Mobile App/PC Monitoring with Easy Cloud
- Upto 256GB SD Card Support

3MP + 3MP 4G SOLAR LINKAGE



CT-CM-6MLPT

- 3MP+3MP 4G SolarLinkage PT Camera
- Two Way Audio Intercom
- 10X Digital Zoom, Dual Intelligent Camera
- Human detection and Human tracking with Push Notifications
- IP66 Rated Dust & Water Resistant
- Mobile App/PC Monitoring with Easy Cloud
- Solar Panel :8 Watt
- Upto 256GB SD Card Support

4G CCTV CAMERA DOME



CT-CM-IDD4G3M

- 3MP (2304 X 1296)Resolution
- Bullet Camera, All Time Color Vision
- Full Duplex Audio Intercom(built-in High Sensitivity Mic & Speaker)
- 4g Connection Qr Code For Easy To Add Camera In The App
- Monitoring: Mobile/pc Software(EseeCloud)
- 10X Digital Zoom
- Mobile Notification On Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Support Micro Sd Card Upto 256gb & Cloud Storage(optional)

4G CCTV CAMERA BULLET



CT-CM-IBD4G3M

- 3MP (2304 X 1296)Resolution
- Bullet Camera, All Time Color Vision
- Full Duplex Audio Intercom(built-in High Sensitivity Mic & Speaker)
- 4g Connection Qr Code For Easy To Add Camera In The App
- Monitoring: Mobile/pc Software(EseeCloud)
- 10X Digital Zoom
- Mobile Notification On Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Support Micro Sd Card Upto 256gb & Cloud Storage(optional)

3MP + 3MP 4G SOLAR LINKAGE(New)



CT-CM-6MLPTH

- 3MP + 3MP Dual Linkage Solar Camera
- H.265 Video Compression
- Dual-Light Night Vision
- Pan/Tilt Tracking - Auto human tracking
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always ON Video) 24 X 7 Recording
- 8Ww solar panel, ultra long standby time & long recording
- App : HiEasy

4G SOLAR PT WITH 4 LENS LINKAGE CAMERA



CT-CM-12MLPTH

- 3MP* 4 lens linkage solar camera
- Pan/ Tilt Tracking - Auto human tracking
- H.265 / H.265 Video Compression
- Dual light day & night full color vision
- Smart A1 Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always ON Video) 24 X 7 Recording
- App: HiEasy

SMART CAMERA

4G SOLAR 3MP+3MP LINKAGE PTZ CAMERA



CT-CM-6MLPTHX

- 3MP+3MP, resolution with 16X optical zoom
- Pan/ Tilt Tracking - Auto human tracking
- H.265 / H.265 Video Compression
- Dual light day & night full color vision
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- AOV (Always ON Video) 24 X 7 Recording
- App: HEasy

WIRELESS WIFI 3MP MINI CAMERA



CT-CM-W3MPHRP

- 3 MP HD wifi Camera
- Two Way Communication
- Compression: H.264/H.265/H.265+
- Wi-Fi connection QR code for Easy to add camera in the app
- Monitoring: Mobile/PC Software(Easy cloud)
- Alexa Support
- AP Mode Available for local View
- Support Micro SD Card upto 256GB & Cloud Storage(Optional)

3MP+3MP 4G MINI PT CAMERA



CT-CM-6M4GPTH

- 3MP + 3MP Dual Linkage Camera
- H.265 Video Compression
- Dual-Light Night Vision
- Pan/Tilt Tracking - Auto human tracking
- Smart AI Human Detection
- Two-Way Audio - Full duplex with improved echo cancellation
- 4G Connectivity, LTE full-band support
- App : HEasy

WIRELESS WIFI 2MP MINI CAMERA



CT-CM-W2MPATC

- 2 MP HD wi-fi Camera
- Smart Mode Supportable
- Human detection and Human tracking with Push Notifications
- Support ONVIF, TF Card upto 256GB and Cloud Storage
- Two Way Communication
- view any time, anywhere via Easy Cloud Mobile App
- AP Mode Available for local View

ANALOG CCTV CAMERA

CCTV HD CAMERA 2MP BULLET-W



CTCMHBW2MPA

- 1/3", 2.0MP, CMOS Sensor, Bullet
- Lens 3.6mm Fixed Lens
- Color Night Vision upto 20 meters
- Support: Audio (TVI , CVI)
- Warm Starlight Arrey
- 3D Noise Reduction, Multi Angle Adjustable
- Operating Temperature -10OC - 50OC
- 12V Weather resistance, Plastic Body

5MP CCTV AHD BULLET CAMERA



CTCMHBW5MPA

- 1/3" , 5.0 MP@12.5 FPS Default , CMOS Sensor, Bullet
- Lens 3.6 mm Fixed lens
- Color Night Vision Upto 20 meters
- Support: Audio (TVI , CVI)
- Warm Starlight Arrey
- 3D Noise Reduction , Multi Angle Adjustable
- Oprating Temperature -10°C - 50°C
- 12V/1A weather resistance , Plastic Body

CCTV HD CAMERA 2MP DOME-W



CTCMHDW2MPA

- 1/3" , 2.0MP, CMOS Sensor, Dome
- Lens 3.6mm Fixed Lens
- Color Night Vision upto 20 meters
- Support: Audio (TVI , CVI)
- Warm Starlight Arrey
- 3D Noise Reduction, Multi Angle Adjustable
- Operating Temperature -10°C - 50°C
- 12V Weather resistance, Plastic Body

5MP CCTV AHD DOME CAMERA



CTCMHDW5MPA

- 1/3" , 5.0 MP@12.5 FPS Default , CMOS Sensor, Dome
- Lens 3.6 mm Fixed lens
- Color Night Vision Upto 20 meters
- Support: Audio (TVI , CVI)
- Warm Starlight Arrey
- 3D Noise Reduction , Multi Angle Adjustable
- Oprating Temperature -10°C - 50°C
- 12V/1A weather resistance , Plastic Body



POE SWITCH



APP BASED POE SWITCH

CT-16P-2UG-1S-D



Plug & Play Easy To
Use No Configuration
Require



Long Distance POE
Upto 250m Long
Distance



ANDROID APP ON
Google play



Available on the
App Store

CG-8P-CE



Plug & Play Easy To
Use No Configuration
Require



Long Distance POE
Upto 250m Long
Distance

CT-24P-2UG-D



Plug & Play Easy To
Use No Configuration
Require



Long Distance POE
Upto 250m Long
Distance


WATCH DOG
POE

4 & 8
CH POE SWITCH



Plug & Play Easy To
Use No Configuration
Require



Distance POE Upto
250m Long Distance



Automatic device
Test Using The Ping
Function



Self Monitoring
Function .



Automatically Detect
& Restart.

POE SWITCH

POE Switch (C-4P-2UE-V)	4x100M POE+2x100M UPLINK port, unit power 78W.
POE Switch (C-8P-2UE-V)	8x100M POE+2x100M UPLINK port, total power 100W.
POE Switch (C-8P-2UG)	8x100M POE ports+2x1000M UPLINK ports, total power 100W.
POE Switch (C-8P-2UG-1S)	8x100M POE ports+2x1000M UPLINK ports + 1SFP built-in-power supply, total power 100W.
POE Switch (CG-4P-2UG)	4x1000M POE ports+2x1000M UPLINK port. total power 100W.
POE Switch (CG-8P-2UG)	8x1000M POE ports+2x1000M UPLINK port. total power 100W.
POE Switch (CG-8P-2UG-2S)	8x1000M POE ports+2x1000M UPLINK port.+ 2SFP, total power 100W.
POE Switch (CG-16P-2UG-1S)	16x100M POE ports+2x1000M UPLINK port.+ 1SFP ports, total power 260W.
POE Switch (CG-16P-2UG-2S)	16x full 1000M POE ports+2x1000M UPLINK port.+ 2SFP ports, total power 260W.
POE Switch (CG-24P-2UG-2S)	24x full 1000M POE ports+2x1000M UPLINK port.+ 2x1000M SFP ports, total power 400W.



IP CAMERA



WIRELESS



IP PHONE



5 PORT ETHERNET SWITCH

GIGA



5V/1A
Power Supply



10/100/1000Mbps
Speed



Forwarding Rate
7.44 Mbps



10 Gbps
Bandwidth



IEEE802.3, IEEE802.3u
Network



8 PORT ETHERNET SWITCH

GIGA



5V/1A
Power Supply



10/100/1000Mbps
Speed



Forwarding Rate
1.1904 Mbps



1.6 Gbps
Bandwidth



IEEE802.3, IEEE802.3u
Network



5 PORT ETHERNET SWITCH

NORMAL



5V/1A
Power Supply



10/100 Mbps
Speed




Forwarding Rate
0.744 Mbps



1 Gbps
Bandwidth



IEEE802.3, IEEE802.3u
Network



8 PORT ETHERNET SWITCH

NORMAL



5V/1A
Power Supply



10/100Mbps
Speed



Forwarding Rate
1.1904 Mpps




1.6 Gbps
Bandwidth



IEEE802.3, IEEE802.3u
Network



ETHERNET GIGA 16PORT SWITCH



External 12V DC/1A
Power Adapter



16x10/100/
1000 Trans.



IEEE802.3, IEEE802
3u Standard



Support Auto
MDI/MDIX



Lighting
Protection

POE EXTENDER

1 Poe Input And 3 Poe Output



Port-based
VLAN



25W PoE
Output



30W PoE
Input



Multiple Levels
Cascade Support



Fast Ethernet



Wall Mountable



Plug & Play




DVR RACK

DVR Walls Mount are
Specially Designed for
CCTV Surveillance



Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 4U



Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 2U/4U/6U/9U



Construction : Welded



Side Panels : Integrated with Top & Bottom



Front Door : Lockable Toughened




Static Load : 15 Kg



Standard Finish : Powder coated with
7 Tank pre-treatment processes.

DVR Walls Mount are **Specially Designed for** CCTV Surveillance

DVRs / NVRs / Switches Rack
Network Rack - Modular
Rack - DVRs/NVRs/Switches
Size - 6U





CABLES



CCA & CAT6 CABLE

3+1 CCTV Cable



CT-CC

- 70 Meters / 90 Meters
- 90 Meter Gold Series
- 90 Meter (Outdoor)
- 90 Yards
- Length Bundle
- All Weather PVC
- Cable With
- Extra Density Shield
- Long Term Durability

CAT6 100M CCA CABLE



CT-CC-100M/CT-CC-100M-OD

- CCA Conductor (Copper Clad Aluminium)
- Supports 10/100/1000 Mbps
- Bandwidth up to 250 Mhz
- Twisted Pair – Low Interference
- Durable Outer Jacket
- Ideal for CCTV & Networking Use

CAT6 100M COPPER CABLE



CT-CC-100MC

- CAT-6 UTP Cable
- 100 Meters Length
- 100% Copper Conductor (CU)
- Supports Up to 1 Gbps
- Bandwidth Up to 250 Mhz
- Suitable for Gigabit Networks

CAT6 305M CCA CABLE



CT-CC-305M

- CAT-6 UTP Cable
- Length: 305 Meters
- Conductor: CCA (Copper-Clad Aluminium)
- Bandwidth: Up to 250 MHz
- Supports Gigabit Ethernet (1 Gbps)
- Suitable for LAN, CCTV, and Networking

CAT6 305M COPPER CABLE



CT-CC-305MC/CT-CC-305MC-OD

- High-quality CAT6 Copper Cable
- 305 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Pure copper conductors for optimal performance

CAT6 CCA 305M OD CABLE



CT-CC-305M-OD

- CAT6 CCA (Copper-Clad Aluminium) Cable
- 305 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Durable outer jacket (OD) for protection and longevity

CCA & CAT6 CABLE

CAT6 COPPER 100M OD CABLE



CTCC-100MC-OD

- High-quality CAT6 Copper Cable
- 100 meters length
- Supports up to 250 MHz bandwidth
- Suitable for 10/100/1000 Mbps Ethernet networks
- Durable outer jacket (OD) for protection and longevity

CAT6 CCA 305M OD CABLE



CT-CC-305M-OD

- High-quality 3+1 core design for stable signal transmission
- Length: 70 meters per roll
- Durable insulation for long-lasting performance
- Flexible and easy to install
- Suitable for CCTV and networking applications
- Corrosion-resistant copper conductors for reliable connectivity

CAT6 305M CCA CABLE



CT-CC-305-E

- CAT-6 UTP Cable – 305 Meters
- Conductor: CCA (Copper-Clad Aluminum)
- Imported Quality – Reliable Performance
- Bandwidth: Up to 250 Mhz
- Supports Gigabit Ethernet (1 Gbps)
- Ideal for LAN, CCTV & Networking Installations

3+1 90M CABLE GOLD



CT-CC-90MG

- Premium 3+1 core design for reliable signal transmission
- Gold-coated conductors for enhanced conductivity and corrosion resistance
- Length: 90 meters per roll
- Flexible and easy to install for CCTV and networking use
- Durable insulation ensures long-lasting performance

3+1 90M OUTDOOR CABLE



CT-CC-90M-OD

- 3+1 core design for stable signal transmission
- Outdoor-grade cable with UV-resistant and weatherproof jacket
- Length: 90 meters per roll
- Flexible and easy to install for CCTV and networking applications
- Corrosion-resistant copper conductors for reliable performance

CAT6 100M CCA CABLE



CT-CC-100-E

- CAT-6 UTP Cable – 100 Meters
- Conductor: CCA (Copper-Clad Aluminum)
- Imported Quality – Durable & Reliable
- Bandwidth: Up to 250 Mhz
- Supports Gigabit Ethernet (1 Gbps)
- Ideal for LAN, CCTV & Networking

3+1 CCTV Cable



CT-CC-90Y

- 3+1 core design for reliable signal transmission
- High-quality copper conductors for stable connectivity
- Length: 90 meters per roll
- Durable insulation for long-lasting performance
- Flexible and easy to install for CCTV and networking applications

BNC/DNC CABLE


BNC CABLE



CT-BPG15

- High-quality coaxial cable with BNC connectors for reliable video transmission
- Superior shielding to minimize signal interference and noise
- Flexible and durable for easy installation
- Compatible with all standard CCTV cameras and DVRs
- Long-lasting performance with corrosion-resistant conductors

DC CABLE



CT-DPC05

- High-quality copper conductors for stable power transmission
- Flexible insulation for easy installation in tight spaces
- Corrosion-resistant & durable for long-lasting use
- Compatible with all CCTV cameras and power adapters
- Ensures reliable power supply for uninterrupted surveillance

BNC BRASS



CT-BPB20/25

- High-quality coaxial cable with BNC connectors for stable video transmission
- Integrated brace design for added strength and durability
- Superior shielding to reduce interference and signal loss
- Flexible and easy to install for CCTV systems
- Long-lasting performance with corrosion-resistant conductors

DC BRASS



CT-DPC05

- High-quality copper conductors for stable and reliable power transmission
- Integrated brace design for enhanced strength & durability
- Flexible insulation for easy installation in tight spaces
- Corrosion-resistant for long-lasting performance
- Ensures consistent power supply for CCTV cameras

High Speed HDMI Cable



Box
TV Box



Display
LCD



Media
Player



Use
TV

OHFGKHS



HDMI 2.0
STANDARD
TRANSMISSION

4K*2K
ULTRA HD



High Speed HDTV Cable



Connector
24K Gold-Plated



Display
Dual Screen



Resolution
1920x1080P



Support
DTS-HD



HDTV 2.0V
STANDARD
TRANSMISSION

4K
UHD



ROUTERS



VELOCITY

WIRELESS ROUTER



Plug & Play



All GSM
Network
Connectivity



LAN/WAN



12V 1a- BIS
Approved



5 dB
Triple
Antenna



High Grade
1 mtr.
Patch Cord



4G / LTE Band
Range : 15 Mtr / 17 Mtr.

FEATURES:

- Connectivity : Plug & Play
- Extensive Range with Beamforming.
- Router /LAN/WAN Multiple Modes.
- IPTV and 4K TV Supported

MADE IN-MADE FOR
Bharat

WiFi 6 WIRELESS

4G ROUTER

VELOX
CT-V4GR-TAW6



4G Ultra Speed



Secure Network



Insert SIM & Play



Ethernet Port



External Triple
Antenna



32 Users
Connection



WiFi 6 WIRELESS

ROUTER

VELORA
CT-4GR-FAW6



Ethernet Port
Single Lan Port



Interface
USB Type-C



SIM Card
All SIM Supported



Speed
300Mbps



Antenna
External High
Range



Compatibility
4G/5G SIM Support



CCTV SMPS

4/8 CH CCTV POWER SUPPLY MULTI



CT-CPS-04PG/CT-CPS-08PG

- 4/8-channel output for multiple CCTV cameras
- Stable and reliable power supply for uninterrupted surveillance
- Built-in short-circuit, overload, and surge protection
- Compact, durable, and easy-to-install design
- High-efficiency performance to save energy and ensure long life

CCTV POWER SUPPLY MULTI



CT-CPS-016PG

- 16-channel output for multiple CCTV cameras
- Stable and reliable power supply for uninterrupted surveillance
- Built-in short-circuit, overload, and surge protection
- Compact, durable, and easy-to-install design
- High-efficiency performance to save energy & ensure long life

4/8 CHANNEL MULTI SMPS



CT-CPS-4PG/CT-CPS-8PG

- 4/8 Channel Multi Output – Ideal for multiple CCTV cameras
- Stable power supply for uninterrupted performance
- In-built short circuit, overload & surge protection
- High efficiency for long life and low power loss
- Compact and durable metal body for better safety

16 CHANNEL SINGLE OUTPUT



CT-CPS-16PG

- 16 Channel Single Output – Ideal for large CCTV setups
- Stable and reliable power supply for smooth operation
- In-built short circuit, overload & surge protection
- High efficiency for long life and low power consumption
- Strong and durable metal body for maximum safety

HIGH ENDURANCE microSD MEMORY CARD

Upto 90MB/S Read, 45MB/s Write



Durable



High Performance



Suitable for Surveillance Cameras



Class 10 Memory card

For Home Security, Professional Surveillance, Body and Dash Cams UHS-I



Capacity Available

256 GB

128 GB

64 GB





HVR's/NVR's



HYBRID VIDEO RECORDER

eye 



16CH



8CH



4CH



H.265/H265+



P2P



Coaxial
Support



24x7
Recording



AI



VMS
Support



Mobile App

NETWORK VIDEO RECORDER

eye 



36CH



16CH



10CH



H.265/H265+



AI



ONVIF



P2P



Push
Notification



24x7
Recording



VMS
Support



Mobile App

DIGITAL VIDEO RECORDER



16CH



8CH



4CH



HD Output



DDNS



Network



PTZ



Audio



MIC



Mobile



CMS



USB



Mouse

NETWORK VIDEO RECORDER



16CH



8CH



4CH



HD Output



HD IPC



DDNS



PTZ



Audio



Network



Mobile




CMS



USB



ONVIF



MEDIA CONVERTER

ETHERNET MEDIA CONVERTER



GIGA
CT-MC100G



MEGA
CT-MC100N



10/100/1000Mbps
Speed



RJ45 Transmission
Dist. Up to 100Mtr



Convenience
Automatic MDI/MDI-X



5V DC 1A/2A
Power Supply



Voltage
Protection



OPS Range 0°C
to +65°C



UPS

CCTV-UPS



PowerEye CT-UPS-CH08

- PROTECTION**
Advanced Protection Features
- INPUT RANGE**
Operates from AC180V to 265V
- STATUS**
LED Indicators



Mini-UPS



CT-UPS-M01

- POWER INPUT**
11.4V TO 12.5V
- POWER OUTPUT**
11.4V TO 12.5V
- BATTERY**
2200 MAH*2



WI-FI DONGLE

MINI USB ADAPTER 150MBPS



Speed



USB 2.0



Video Streaming



Speed



USB 2.0



Video Streaming

MINI USB ADAPTER 300MBPS

UPS BATTERY



ECO
FRIENDLY



FAST
CHARGING



LONG LIFE
BATTERY





CONSUMER ELECTRONICS

LED TELEVISION



Model :

3211H, 4011H, 4311H

- Smart
- Android 8
- Internal Storage 8 GB
- RAM 1 GB
- Wifi
- Mira Cast
- HDMI / VGA
- TF Card Port
- Lane
- Sound Bar

2450, 3200H, 4000H

- Normal
- Full HD Support
- HDMI
- VGA
- USB
- RF (Radio Frequency)
- PC Audio In
- Earphone Out





PRINT CONSUMABLES



Mono Toner Cartridge



Colour Toner Cartridge



Laser Toner Powder



Copier Toner Powder



Toner Drum

LASER TONER CARTRIDGE



Reliable
Cartridges




Professional
Quality Print



Maximum
Page Yield



Cost
Effective



Easy Refill Model

■ CT-TC-925R, ■ CT-TC-88AR, ■ CT-TC-337R, ■ CT-TC-12AR

Model No. :

■ CTTC0925U	■ CTTC0200	■ CTTC055A	■ CTTC110A	■ CTTC226A	■ CTTC279A	■ CTTCC0543	■ CTTCC412	■ CTTCCF501	■ CTTC110W
■ CTTC005A	■ CTTC0300	■ CTTC-78A	■ CTTC1114	■ CTTC228A	■ CTTC3410	■ CTTCC400	■ CTTCC413	■ CTTCCF502	
■ CTTC0100	■ CTTC0310	■ CTTC088A	■ CTTC116D	■ CTTC228X	■ CTTC450D	■ CTTCC401	■ CTTCCF400	■ CTTCCF503	
■ CTTC0101	■ CTTC0337	■ CTTC0925	■ CTTC1178	■ CTTC2365	■ CTTCB021	■ CTTCC402	■ CTTCCF401	■ CTTCCF510	
■ CTTC0116	■ CTTC042A	■ CTTC1020	■ CTTC203L	■ CTTC2365DR	■ CTTCC0540	■ CTTCC403	■ CTTCCF402	■ CTTCCF511	
■ CTTC011A	■ CTTC0450	■ CTTC1020D	■ CTTC208P	■ CTTC247A	■ CTTCC0541	■ CTTCC410	■ CTTCCF403	■ CTTCCF512	
■ CTTC012A	■ CTTC053A	■ CTTC1043	■ CTTC210P	■ CTTC256A	■ CTTCC0542	■ CTTCC411	■ CTTCCF500	■ CTTCCF513	



LASER TONER POWDER

CTTPH1210	LASER HP JET PRINTER AX/1010/1100/1200/2100/4000/5000/8150/CANONLBP1210/3900	100g	80 Bottle in Carton
CTTPH1212	LASER HP JET PRINTER AX/1010/1100/1200/2100/4000/5000/8150/CANONLBP1210/3900	120g	80 Bottle in Carton
CTTPH88P	LASER HP 1505/1006/1007/1008/P1100/P1102/P1505/P1566/P1606N U PRO 104A/U ULTRA 105W/M132MFP/MFP M134FM	70g	80 Bottle in Carton
CTTPH88S	LASER HP 1505/1006/1007/1008/P1100/P1102/P1505/P1566/P1606N	70g	80 Bottle in Carton
CTTPS70P	SAMSUNG ML-1010/1210/1450/1610/1710/1911/2010/2526/2581/5000/6060	70g	80 Bottle in Carton
CTTPB80P	BROTHER DCP-7060/7065/7070, Brother FAX 7860/2840/2940/2950, HL-2130/2132/2135/2220/2230, HL-2240/2242/2250/2280, MFC-7240/7360/7362 (TN-2210/TN-2220), Konica Minolta Page Pro 1500/1580/1590(TNP28/TNP29)	80g	80 Bottle in Carton



Extra

Extra Dark




High Density



Maximum Yield

TONER DRUM



OPC DRUM 8800 GREEN



OPC DRUM 8800 PURPLE

COPIER POWDER



**Compatible with
Major Copier Machine**



**High
Page Yield**



**Crisp & Extra
Dark Prints**



**Cost-effective
Solution**



**Moisture Free
Packing**



**100% Copier
Machine Friendly**

FEATURES:

- EXTRA DARK, SUPER GRAPHIC
- LOW WASTAGE, HIGH YIELD
- HIGH PERSEVERANCE AND DENSITY
- CAN BE USED IN BAD CONDITION
- STORE IN A COOL & DRY PLACE
- SHAKE WELL BEFORE USE

Available Models

Model Name	CT-CP-CU-001	CT-CP-CC-001	CT-CP-PP-001	CT-CP-RA-500	CT-CP-SP-500	CT-CP-KC-001	CT-CP-KM-001
Brand Name	CONSISTENT MAGIC	CONSISTENT SUPER MAGIC	CONSISTENT Premium Powder	CONSISTENT Richo Aficio	CONSISTENT Sharp Powder	CONSISTENT ROYAL MAGIC	CONSISTENT KM
Copier Brands	Canon (Universal)	Canon (Copier)	XEROX	RICOH	SHARP	Kyocera Mita	Konika Minolta





SPEAKERS





DESI VIBE

USB RGB GAMING SOUND BAR
SPEAKER CTSUR206

SUR TAAL

2.0 MINI GAMING SPEAKER
CTSUL201

BANG BANG

2.0 RGB GAMING SPEAKER
CTSUR207

SA RE GA MA

2.0 GAMING SPEAKER
CTSUL202



6W Power



Stereo Sound




1M
Cable Length



2*2" full Range
Driver Unit



LED GAMING
LIGHTS



EXCELLENT GAME
POSITIONING
SENSE



EXCELLENT
BASS



CURRENCY COUNTING MACHINE





CASHMATE

CURRENCY COUNTING MACHINE
CTBCNBS02



Automatic
Start, Stop



Preset, Batch &
Add Counting



UV, MG
Detection



Counting Speed
Over 1000pcs/min



Batch, ADD
Counting



Half, Double, Chain
Banknote Detection



Half-note
Checking



Counterfeit
Alarm



Auto/ Manual
Counting



UV, MG, IR
Detection



TFT
Display



Mixed Value
Counting



Can Update
by USB



With External
Display



Two Pocket



Two CIS



CASHOMETER

CURRENCY COUNTING MACHINE
CTBCNED02



CASHSHIELD

CURRENCY COUNTING MACHINE
CTBCNVC02



POWER SOCKET EXTENSION



POWER SOCKET EXTENSION



- 1.CTEC003D15M
- 2.CTEC003D30M
- 3.CTEC003D50M



PD FAST
CHARGE



BIG POWER



- 1.CTEC001E15M
- 2.CTEC001E30M
- 3.CTEC001E50M



ON/OFF



Material
ABS



- 1.CTEC002C15M
- 2.CTEC002C30M
- 3.CTEC002C50M



Max Output
Power:2500W



- 1.CTEC004E15M
- 2.CTEC004E30M
- 3.CTEC004E50M



LED
Indicator



Children Safety
Shutter



MAGNET FAN, ARGB AIO LIQUID COOLER & ARGB CPU FAN

UPCOMING



Triple Cool Wave

3 IN 1 ARGB MAGNET FAN



CTAMC301

CoolWave

ARGB MAGNET FAN



CTAMA101

HydroCool

ARGB AIO LIQUID COOLER



CTLCC30

IcePulse

ARGB AIO LIQUID COOLER



CTLCB20

RapidCool


ARGB CPU FAN



CTACA50

MOTION

ARGB CPU FAN



CTACA01



600-1800 RPM
of Speed



70 CFM



33.5 dBA



ARGB SYNC



3x120mm
ARGB Fans



High Flow Pump
(130L/H)



Wide CPU Support
(Intel & AMD)



280W Cooling
Power



≤ 26.9dBA



USB HUBS

DOCKS 3-in-1 Type-C



CONNECTO
CTUD1031C

USB LAN TYPE-C



MULTIX
CTUL1020C

DOCKS 4-in-1 Multiport Type-C



LINKLET
CTUD1041C

DOCKS 5-in-1 TYPE-C



HUBLIX
CTUD1051C

DOCKS 8-in-1TYPE-C



DOCKLET
CTUD1081C



RJ45
SUPPORT
100Mbps



Universal
Compatibility



PD Charging
Port



Metallic
Body



USB 3.0
(480Mbps)



Over Current
Protection



Support,
win/Mac/Linux



Type-C to USB
3.0



HDTV
4k@30Hz



SDx1.TFx1



Type-C



Handy Easy
To carry



Short Circuit
Protection



Plug &
Play



High Speed
Data Transfer



Lightweight

HUB 4-in-1USB HUB



PORTIQ
CTUH1041C

HUB 2-in-1 4 USB PORTS



PLUGGO
CTUH10214



Fastest Growing Indian CCTV Brand



The Fastest Growing Gaming Brand

Branch Offices Across India

•**Ahmedabad:** 8929786904 •**Bangalore:** 8800025215 •**Bhubaneswar:** 8800025217 •**Chandigarh:** 8929475337 •**Chennai:** 8929786910 •**Delhi:** 8929548601 •**Goa:** 8830258650 •**Guwahati :** 8929249565 •**Haryana :** 8929475328 •**Indore:** 8929475304 •**Jaipur:** 8929249556 •**KASHMIR:** 8368956733 •**Kochi:** 8882247349 •**Kolkata:** 8929475313 •**Lucknow:** 8929249564 •**Ludhiana:** 8800025228 •**Maharashtra:** 8929475354 •**Patna:** 8800025232 •**Raipur:** 8800025239 •**Ranchi:** 8800025241 •**Siliguri:** 8929475313 •**Telangana:** 8929475324 •**Uttarakhand:** 8923252825

Service Centers Across India

NORTH: Chandigarh: Chandigarh • **Delhi:** Nehru Place • Okhla II • Wazirpur • **Haryana:** Gurugram • **Jammu & Kashmir:** Jammu • Srinagar • **Punjab:** Amritsar • Jalandhar • Ludhiana • **Rajasthan:** Jaipur • Jodhpur • Kota • Udaipur • **Uttar Pradesh:** Agra • Allahabad • Bareilly • Gorakhpur • Kanpur • Lucknow • Varanasi • **EAST & NORTH - EAST:** Assam : Guwahati • Bihar: Patna • Bhagalpur • Muzaffarpur • Purnia • **Jharkhand:** Dhanbad • Ranchi • **Orrisa:** Bhubaneswar • Sambalpur • **West Bengal:** Kolkata • Siliguri • **WEST & CENTRAL INDIA:** Chhattisgarh: Bilaspur • Durg - Bhilai Nagar • Raipur • Gujarat: Ahmedabad • Rajkot • Surat • Goa: Panjim • **Madhya Pradesh:** Bhopal • Gwalior • Indore • Jabalpur • **Maharashtra:** Aurangabad • Mumbai • Nagpur • Nashik • Pune • Solapur • **SOUTH:** Andhra Pradesh: Vijaywada • Visakhapatnam • **Karnataka:** Mysore • Bengaluru • Mangalore • **Kerala:** Kannur • Kochi • Thiruvananthapuram • Thrissur • **Tamil Nadu:** Chennai • Salem • Tiruchirappali • Tiruppur • **Telangana:** Hyderabad • **Tripura:** Agartala



Scan to View
Our Catalogue



Scan to Visit
Our Website

Consistent Infosystems Private Limited

Corporate Office:

307, Shakuntala Building, 59, Nehru Place,
New Delhi 110 019, India.

Toll Free: 1800 103 4593

(9:00am to 6:00pm. Monday - Saturday.)

Email: info@consistent.in | Web: www.consistent.in



consistentinfosystems



consistent-india



consistentindia



consistentinfo1



Consistent Infosystems Pvt. Ltd.



+91.8800025247